according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2015/830

# POLISH.COMP.BARS

Product number 189

 Revision date:
 14/12/2016
 Date of print:
 15/3/2017

 Version:
 6
 Language: en-GB,IE
 Page:
 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: POLISH.COMP.BARS

This safety data sheet pertains to the following products:

44250004 POLISH.COMP.BARS G-PP4 HGP 44250009 POLISH.COMP.BARS K-PP4 HGP

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Polishing agent.

# 1.3 Details of the supplier of the safety data sheet

Company name: August Rueggeberg GmbH & Co. KG

PFERD-Werkzeuge

Street/POB-No.: Hauptstraße 13
Postal Code, city: 51709 Marienheide

Germany

 www.
 www.pferd.com

 E-mail:
 info@pferd.com

 Telephone:
 +49 (0)2264-9-0

 Telefax:
 +49 (0)2264-9-400

Dept. responsible for information:

Telephone: +49 (0) 2264-9-0

# 1.4 Emergency telephone number

Telephone: 1-813-248-0585

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

### Labelling (CLP)

Hazard statements: not applicable Precautionary statements: not applicable

printed by PFERD-Werkzeuge (D)

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2015/830

# POLISH.COMP.BARS

Product number 189

 Revision date:
 14/12/2016
 Date of print:
 15/3/2017

 Version:
 6
 Language: en-GB,IE
 Page:
 2 of 8

#### 2.3 Other hazards

Repeated exposure may cause skin dryness or cracking.

Mechanical processing produce particles and dust from the workpiece and abrasive.

Particles/dusts: Can cause skin, eye and respiratory tract irritation.

Extended inhalation at levels above the workplace limit value can cause irreversible

damage to the lungs (silicosis).

Results of PBT and vPvB assessment:

No data available

# **SECTION 3: Composition / information on ingredients**

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: Mixture containing the substances listed below:

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 215-691-6 CAS 1344-28-1	Aluminium oxide	50 - 60 %	not applicable
EC No. 266-928-5 CAS 67701-03-5	Fatty acids, C16-18	10 - 15 %	not applicable
EC No. 271-643-4 CAS 68603-16-7	Alcohols, C12-18, distn. residues	10 - 15 %	not applicable
EC No. 310-127-6 CAS 1020665-14-8	Siliceous Earth	10 - 15 %	not applicable

Full text of H- and EUH-statements: see section 16.

Additional information: Siliceous Earth contains:

silicic acid, amorphous (CAS No. 7631-86-9) and kaolinite (CAS No. 1318-74-7).

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

In case of inhalation: Provide fresh air. If you feel unwell, seek medical advice.

Following skin contact: Remove residues with soap and water. Change contaminated clothing. In case of skin

reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if any. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth and drink large quantities of water. Avoid vomiting. Never give anything by

mouth to an unconscious person. Seek medical attention.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2015/830

### POLISH.COMP.BARS

Product number 189

 Revision date:
 14/12/2016
 Date of print:
 15/3/2017

 Version:
 6
 Language: en-GB,IE
 Page:
 3 of 8

### 4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation:

Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough. lung damages, asthma.

In case of ingestion: Large amounts: Nausea and Diarrhoea.

After contact with skin: Repeated exposure may cause skin dryness or cracking.

After eye contact: Eye contact may cause mechanical irritation (dust).

# 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

# 5.2 Special hazards arising from the substance or mixture

Not combustible. In case of fire may be liberated: Metal oxide smoke, carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus.

Additional information: Hazchem-Code: -

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Provide adequate ventilation. Avoid contact with skin and eyes. Avoid generation of dust.

# 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

## 6.4 Reference to other sections

Refer additionally to section 8 and 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Avoid generation of dust. Wear personal protection equipment. Avoid contact with skin and eyes.

printed by PFERD-Werkzeuge (D)

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2015/830

# POLISH.COMP.BARS

Product number 189

 Revision date:
 14/12/2016
 Date of print:
 15/3/2017

 Version:
 6
 Language: en-GB,IE
 Page:
 4 of 8

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store in a cool dry place.

Hints on joint storage: Do not store together with food.

### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
1344-28-1	Aluminium oxide	Great Britain: WEL-TWA Great Britain: WEL-TWA Ireland: 8 hours Ireland: 8 hours	10 mg/m³ (inhalable fraction) 4 mg/m³ (respirable fraction) 10 mg/m³ (inhalable fraction) 4 mg/m³ (respirable fraction)

# 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

# Personal protection equipment

### Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection: Protective gloves according to EN 374.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Risk of splashes: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing and shoes.

General protection and hygiene measures:

Do not breathe dust. Avoid contact with skin and eyes.

When using do not eat, drink or smoke. Change contaminated clothing.

Wash hands before breaks and after work.

Work place should be equipped with a shower and an eye rinsing apparatus.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance: Form: solid

Colour: pink

Odour: characteristic
Odour threshold: No data available

pH value: No data available

printed by PFERD-Werkzeuge (D)

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2015/830

# POLISH.COMP.BARS

Product number 189

 Revision date:
 14/12/2016

 Version:
 6

 Language: en-GB,IE
 Page:
 5 of 8

No data available Melting point/freezing point: Initial boiling point and boiling range: No data available Flash point/flash point range: approx. 150 °C (302 °F) Evaporation rate: No data available Flammability: No data available Explosion limits: No data available Vapour pressure: No data available No data available Vapour density:

Density: at 20 °C (68 °F): approx. 1.55 g/cm<sup>3</sup>

Water solubility: dispersible

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Decomposition temperature:

Viscosity, kinematic:

Explosive properties:

Oxidizing characteristics:

No data available

No data available

No data available

No data available

9.2 Other information

Additional information: No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

refer to 10.3

### 10.2 Chemical stability

Product is stable under normal storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

#### 10.4 Conditions to avoid

Protect from frost.

# 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

No known hazardous decomposition products.

Thermal decomposition: No data available

printed by PFERD-Werkzeuge (D)

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2015/830

### POLISH.COMP.BARS

Product number 189

 Revision date:
 14/12/2016
 Date of print:
 15/3/2017

 Version:
 6
 Language: en-GB,IE
 Page:
 6 of 8

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Toxicological effects:

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

Eye damage/irritation: Based on available data, the classification criteria are not met.

Dust contact with the eyes can lead to mechanical irritation.

Sensitisation to the respiratory tract: Based on available data, the classification criteria

are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria

are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification

criteria are not met.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: Pre-existing skin

Pre-existing skin and respiratory conditions including dermatitis, asthma and chronic lung

disease might be aggravated by exposure.

Extended inhalation at levels above the workplace limit value can cause irreversible

damage to the lungs (silicosis).

### **Symptoms**

In case of inhalation:

Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat

and cough. lung damages, asthma.

In case of ingestion: Large amounts: Nausea and Diarrhoea.

After contact with skin: Repeated exposure may cause skin dryness or cracking.

After eye contact: Eye contact may cause mechanical irritation (dust).

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Further details: No data available

# 12.2. Persistence and degradability

Further details: No data available

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2015/830

# POLISH.COMP.BARS

Product number 189

 Revision date:
 14/12/2016
 Date of print:
 15/3/2017

 Version:
 6
 Language: en-GB,IE
 Page:
 7 of 8

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Recommendation: Used product: Waste key number (EU): 12 01 15:

machining sludges other than those mentioned in 12 01 14

Unused product: Incinerate according to applicable local, state and federal regulations.

Dispose of waste according to applicable legislation.

### Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in

the same way as the substance itself.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID, IMDG, IATA-DGR

not applicable

## 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

#### 14.5 Environmental hazards

Marine pollutant: no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

printed by PFERD-Werkzeuge (D) with Qualisys SUMDAT

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2015/830

# POLISH.COMP.BARS

Product number 189

 Revision date:
 14/12/2016
 Date of print:
 15/3/2017

 Version:
 6
 Language: en-GB,IE
 Page:
 8 of 8

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

# 15.2 Chemical Safety Assessment

For this substance a chemical safety assessment is not required.

# **SECTION 16: Other information**

#### **Further information**

Reason of change: Changes in section 1: emergency phone number

Date of first version: 17/3/2014

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products.

printed by PFERD-Werkzeuge (D)