according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

POLISH.COMP.BARS

Product number 186

 Revision date:
 17/7/2019
 Date of print:
 30/8/2019

 Version:
 8
 Language: en-GB,DE,FR,IE
 Page:
 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: POLISH.COMP.BARS

This safety data sheet pertains to the following products: 44250001 POLISH.COMP.BARS G-PP1 VP STEELOX 44250006 POLISH.COMP.BARS K-PP1 VP STEELOX

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Polishing agent.

Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company name: August Rueggeberg GmbH & Co. KG

PFERD-Werkzeuge

Street/POB-No.: Hauptstraße 13
Postal Code, city: 51709 Marienheide
WWW: www.pferd.com
E-mail: info@pferd.com
Telephone: +49 (0)2264-9-0
Telefax: +49 (0)2264-9-400

Department responsible for information:

Telephone: +49 (0) 2264-9-0

1.4 Emergency telephone number

Germany: 0800-181-5313 Austria: 0800-802278 France: 0805-089352 Italy: 800-794-834 Bulgaria: 359-32571722 Poland: +48-223073296 Sweden: 020-889-215 Greece: 30-2111981153

Other EU-Countries: 1-813-248-0585

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable Precautionary statements: not applicable

printed by PFERD-Werkzeuge (D) with Qualisys SUMDAT

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

POLISH.COMP.BARS

Product number 186

 Revision date:
 17/7/2019
 Date of print:
 30/8/2019

 Version:
 8
 Language: en-GB,DE,FR,IE
 Page:
 2 of 10

Special labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

Repeated exposure may cause skin dryness or cracking.

Mechanical processing produce particles and dust from the workpiece and abrasive.

Particles/dusts: Can cause skin, eye and respiratory tract irritation.

Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture containing the substances listed below:

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 215-691-6 CAS 1344-28-1	Aluminium oxide	60 - 65 %	not classified
EC No. 266-928-5 CAS 67701-03-5	Fatty acids, C16-18	15 - 20 %	not classified
EC No. 232-315-6 CAS 8002-74-2	Paraffin	15 - 20 %	not classified
EC No. 231-784-4 CAS 7727-43-7	Barium sulfate	5 - 10 %	not classified
EC No. 263-099-1 CAS 61789-97-7	Tallow	< 5 %	not classified
EC No. 215-160-9 CAS 1308-38-9	Chromium (III) oxide	< 1 %	not classified

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Provide fresh air. If you feel unwell, seek medical advice.

Following skin contact: Remove residues with soap and water. Take off contaminated clothing and wash it before

reuse. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if any. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth and drink large quantities of water. Avoid vomiting. Never give anything by

mouth to an unconscious person. Seek medical attention.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

POLISH.COMP.BARS

Product number 186

 Revision date:
 17/7/2019
 Date of print:
 30/8/2019

 Version:
 8
 Language: en-GB,DE,FR,IE
 Page:
 3 of 10

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation:

Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough. lung damages, asthma.

In case of ingestion: Large amounts: Nausea and Diarrhoea.

After contact with skin: Repeated exposure may cause skin dryness or cracking.

After eye contact: Eye contact may cause mechanical irritation (dust).

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Metal oxide smoke, nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus.

Additional information: Hazchem-Code: -

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid generation of dust. Do not breathe dust. Wear personal protection equipment. Provide adequate ventilation. Avoid contact with skin and eyes.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

POLISH.COMP.BARS

Product number 186

 Revision date:
 17/7/2019
 Date of print:
 30/8/2019

 Version:
 8
 Language: en-GB,DE,FR,IE
 Page:
 4 of 10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Avoid generation of dust. Do not breathe dust. Wear personal protection equipment. Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. When using do not eat, drink or smoke. Wash hands before breaks and after work. Work place should be equipped with a shower and an eye rinsing apparatus.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store in a cool dry place.

Hints on joint storage: Do not store together with food.

Storage class: 13 = Non-combustible solids

7.3 Specific end use(s)

No information available.

printed by PFERD-Werkzeuge (D)

with Qualisys SUMDAT

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

POLISH.COMP.BARS

Product number 186

 Revision date:
 17/7/2019
 Date of print:
 30/8/2019

 Version:
 8
 Language: en-GB,DE,FR,IE
 Page:
 5 of 10

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
	POLISH.COMP.BARS	France: VME	10 mg/m³
			(Dust limit value, inhalable fraction)
		France: VME	5 mg/m³
			(Dust limit value, respirable fraction)
		Germany: DFG Kurzzeit	2.4 mg/m³
			(Dust limit value, respirable fraction)
		Germany: DFG Langzeit	0.3 mg/m³
			(Dust limit value, respirable fraction)
		Germany: DFG Langzeit	4 mg/m³
			(Dust limit value, inhalable fraction)
		Germany: TRGS 900 Kurzzeit	2.5 mg/m³
		C TD00 0001/ "	(Dust limit value, respirable fraction)
		Germany: TRGS 900 Kurzzeit	20 mg/m³
		Carrage TDCC 000 L an area!t	(Dust limit value, inhalable fraction)
		Germany: TRGS 900 Langzeit	1.25 mg/m³
		Cormoniu TDCC 000 Long-oit	(Dust limit value, respirable fraction)
		Germany: TRGS 900 Langzeit	10 mg/m³
		Great Britain: WEL-TWA	(Dust limit value, inhalable fraction) 10 mg/m³
		Gleat Billaili. WEL-TWA	(Dust limit value, inhalable fraction)
		Great Britain: WEL-TWA	4 mg/m ³
		Great Britain. WEE-TWA	(Dust limit value, respirable fraction)
		Ireland: 8 hours	10 mg/m ³
		inciaria. O ribaro	(Dust limit value, inhalable fraction)
		Ireland: 8 hours	4 mg/m³
		molaria. O modio	(Dust limit value, respirable fraction)
1344-28-1	Aluminium oxide	France: VME	10 mg/m³
1344-20-1	Aluminium oxide	Germany: DFG Langzeit	1.5 mg/m³ (respirable fraction)
		Germany: DFG Langzeit	4 mg/m³ (inhalable fraction)
		Great Britain: WEL-TWA	10 mg/m³ (inhalable fraction)
		Great Britain: WEL-TWA	4 mg/m³ (respirable fraction)
		Ireland: 8 hours	10 mg/m³ (inhalable fraction)
		Ireland: 8 hours	4 mg/m³ (respirable fraction)
8002-74-2	Paraffin	France: VME	2 mg/m³
0002-74-2	raiaiiii	Great Britain: WEL-STEL	6 mg/m³ (Smoke)
		Great Britain: WEL-37EL Great Britain: WEL-TWA	2 mg/m³ (Smoke)
		Ireland: 15 minutes	6 mg/m³
		Ireland: 8 hours	2 mg/m³
7707 40 7	Davium auteta		•
7727-43-7	Barium sulfate	Germany: DFG Kurzzeit	2.4 mg/m³ (respirable fraction)
		Germany: DFG Langzeit	0.3 mg/m³ (respirable fraction)
		Germany: DFG Langzeit	4 mg/m³ (inhalable fraction)
		Great Britain: WEL-TWA	10 mg/m³ (inhalable fraction)
		Great Britain: WEL-TWA Ireland: 8 hours	4 mg/m³ (respirable fraction)
		II CIANU. O NOUIS	5 mg/m³

printed by PFERD-Werkzeuge (D)

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

POLISH.COMP.BARS

Product number 186



CAS No.	Designation	Туре	Limit value
1308-38-9	Chromium (III) oxide	Europe: IOELV: TWA	2 mg/m³ (metal and compounds, inorganic, insoluble)
		France: VME	2 mg/m³ (metal)
		Germany: TRGS 900 Kurzzeit	2 mg/m³
		•	(calculated as Cr, inhalable fraction)
		Germany: TRGS 900 Langzeit	2 mg/m³
			(calculated as Cr, inhalable fraction)
		Great Britain: WEL-TWA	0.5 mg/m³
		Ireland: 8 hours	2 mg/m³

Additional information: Observe in addition any national exposure limit values!

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded.

In case of inadequate ventilation wear respiratory protection.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection: Protective gloves according to EN 374.

Glove material: Nitrile rubber

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Risk of splashes: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing and shoes.

General protection and hygiene measures:

Do not breathe dust. Avoid contact with skin and eyes.

When using do not eat, drink or smoke. Take off contaminated clothing and wash it before

reuse.

Wash hands before breaks and after work.

Work place should be equipped with a shower and an eye rinsing apparatus.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: solid

Colour: bright green

Odour: characteristic
Odour threshold: No data available

pH value: not applicable

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

POLISH.COMP.BARS

Product number 186

 Revision date:
 17/7/2019
 Date of print:
 30/8/2019

 Version:
 8
 Language: en-GB,DE,FR,IE
 Page:
 7 of 10

No data available Melting point/freezing point: No data available Initial boiling point and boiling range: Flash point/flash point range: Not applicable Evaporation rate: No data available Flammability: not combustible Explosion limits: No data available Vapour pressure: No data available No data available Vapour density:

Density: at 20 °C: approx. 1.4 g/cm³

Water solubility: dispersible

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Decomposition temperature:

Viscosity, kinematic:

Explosive properties:

Oxidizing characteristics:

No data available

No data available

No data available

No data available

9.2 Other information

Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

refer to 10.3

10.2 Chemical stability

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

Protect from frost.

Protect against heat /sun rays. Protect from moisture contamination.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In case of fire may be liberated: Metal oxide smoke, nitrogen oxides (NOx), carbon

monoxide and carbon dioxide.

Thermal decomposition: No data available

printed by PFERD-Werkzeuge (D) with Qualisys SUMDAT

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

POLISH.COMP.BARS

Product number 186

 Revision date:
 17/7/2019
 Date of print:
 30/8/2019

 Version:
 8
 Language: en-GB,DE,FR,IE
 Page:
 8 of 10

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Dust contact with the eyes can lead to mechanical irritation.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification

criteria are not met.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: Pre-existing skin and respiratory conditions including dermatitis, asthma and chronic lung

disease might be aggravated by exposure.

Symptoms

In case of inhalation:

Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat

and cough. lung damages, asthma.

In case of ingestion: Large amounts: Nausea and Diarrhoea.

After contact with skin: Repeated exposure may cause skin dryness or cracking.

After eye contact: Eye contact may cause mechanical irritation (dust).

SECTION 12: Ecological information

12.1 Toxicity

Water Hazard Class: 1 = slightly hazardous to water

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

printed by PFERD-Werkzeuge (D)

with Qualisys SUMDAT

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

POLISH.COMP.BARS

Product number 186

 Revision date:
 17/7/2019
 Date of print:
 30/8/2019

 Version:
 8
 Language: en-GB,DE,FR,IE
 Page:
 9 of 10

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Recommendation: Used product: Waste key number (EU): 12 01 15:

machining sludges other than those mentioned in 12 01 14

Unused product: Incinerate according to applicable local, state and federal regulations.

Dispose of waste according to applicable legislation.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in

the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR

not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

printed by PFERD-Werkzeuge (D) with Qualisys SUMDAT

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

POLISH.COMP.BARS

Product number 186

 Revision date:
 17/7/2019
 Date of print:
 30/8/2019

 Version:
 8
 Language: en-GB,DE,FR,IE
 Page:
 10 of 10

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

National regulations - Germany

Storage class: 13 = Non-combustible solids
Water Hazard Class: 1 = slightly hazardous to water

National regulations - France

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

EUH210 = Safety data sheet available on request.

Date of first version: 17/3/2014

Department issuing data sheet

Contact person: see section 1: Department responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products.

printed by PFERD-Werkzeuge (D)